

SUPPLEMENT TO



The Gazette

of India

No. 28]

NEW DELHI, SATURDAY, OCTOBER 7, 1950

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th September, 1950

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)								Bihar—contd.							
Ajmer (Urban)								Ranohi 7 5 5 1							
TOTAL								Manbhum 124 54 1 1							
(Estd. mid-year pop. 240 thousands)								Pakmau 26 15 6							
Total for w/e 2-9-50. — — — — —								Singhbhum 12 7 11 5							
Total for w/e 26-8-50.								TOTAL 1,200 591 88 36							
7-yearly mean for the week.								(Estd. mid-year pop. 37,690 thousands).							
								Total for w/e 2-9-50 1,165 488 81 22							
Assam								Total for w/e 26-8-50 1,670 696 183 53							
Cachar 1								7-yearly mean for the week 1,150 582 29 7 1 1							
Khasi and Jaintia Hills								Bombay							
Naga Hills								Bombay 6 .. 4							
Goalpara 14 9 6 1								Ahmedabad							
Kamrup 92 33								Kaira							
Darrang								Broach							
Nowgong								Panch Mahals							
Sibsagar								Surat 13 5							
Lakhimpur								Thana							
Sadiya & Frontier Tracts								Bombay Suburbans							
Garo Hills.								Ahmednagar 18 10 3							
TOTAL 106 42 7 1								East Khandesh 24 11							
(Estd. mid-year pop. 7,611 thousands).								West Khandesh 1 22 1							
Total for w/e 2-9-50 55 25								Amreli							
Total for w/e 26-8-50 40 28 2 1								Nasik 2 1							
7-yearly mean for the week 14 9 18 6								Poona 14 5 2 .. 4 2							
Bhopal								Satara North 20 13 6 1							
TOTAL								Satara South 17 8							
(Estd. mid-year pop. 831 thousands).								Sholapur 3 .. 5							
Total for w/e 2-9-50								Sabarkanta							
Total for w/e 26-8-50								Belgaum 28 14							
7-yearly mean for the week 11 4								Bijapur 44 17 2							
Bihar								Dharwar 11 6							
Patna 99 29								Kanara							
Gaya 3 3 3 3								Ratnagiri 8							
Shahabad 41 18 51 22								Kolaba 2 2							
Saran 12 4 4 1								Kolhapur							
Champaran 29 15								Baroda							
Muzaffarpur 17 9								Navaari							
Darbhanga 68 42								Dangs							
Monghyr 50 27								Malwan							
Bhagalpur 265 118 2 1								Mehsana							
Saharsa 4 2								TOTAL 200 91 54 4 4 2							
Purnea 18 10								(Estd. mid-year pop. 26,071 thousands)							
Santal Parganas 388 210 5 2								Total for w/e 2-9-50 153 56 88 9 3 2							
Hazaribagh 37 23								Total for w/e 26-8-50. 184 89 84 11 35 15							
								7-yearly mean for the week. 244 107 63 11 82 32							

Explanation of symbols used:—C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th September, 1950—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Coorg								Madras							
TOTAL								Visakhapatnam							
(Estd. mid-year pop. 173 thousands)								Chicacole							
Total for w/e 2-9-50								East Godavari							
Total for w/e 26-8-50								West Godavari							
7-yearly mean for the week								Krishna							
Delhi								Guntur							
Delhi City								Nellore							
New Delhi								Cuddappah							
Delhi Notified Area								Kurnool							
New Delhi Cantt.								Bellary							
West Delhi N.A.O.								Anantapur							
Rural Circles								Madras							
TOTAL								Chingleput							
(Estd. mid-year pop. 1,274 thousands)								Chittor							
Total for w/e 2-9-50								North Arcot							
Total for w/e 26-8-50								Salem							
7-yearly mean for the week								Coimbatore							
Himachal Pradesh								South Arcot							
Mahasu								Tanjore							
Mandi								Tiruchirapalli							
Sirmur								Mathurai							
Chamba								Ramanad							
TOTAL								Tirunelveli							
(1941 Census pop. 935 thousands)								Nilgiris							
Total for w/e 2-9-50								Malabar							
Total for w/e 26-8-50								South Kanara							
7-yearly mean for the week								TOTAL							
Madhya Pradesh								(Estd. mid-year pop. 52,929 thousands)							
Nagpur								Total for w/e 2-9-50							
Wardha								Total for w/e 26-8-50							
Chanda								7 yearly mean for the week							
Chhindwara								Manipur							
Betul								TOTAL							
Bhandara								(Estd. mid-year pop. 567 thousands)							
Jabalpur								Total for w/e 2-9-50							
Sagar								Total for w/e 26-8-50							
Mandla								Orissa							
Hoshangabad								Cuttack							
Nimar								Balasore							
Balaghat								Puri							
Raipur								Sambalpur							
Bilaspur								Khondmals							
Durg								Ganjam Plains							
Bastar								Ganjam Agency							
Surguja								Koraput							
Raigarh								Keonjhar							
Amravati								Dhenkanal							
Yeotmal								Bolangir Patna							
Akola								Sundergarh							
Bajdana								Kalahandi							
TOTAL								Angul							
(Estd. mid-year pop. 17,666 thousands)								Mayurbhanj							
Total for w/e 2-9-50								TOTAL							
Total for w/e 26-8-50								(Estd. mid-year pop. 7,697 thousands)							
7-yearly mean for the week								Total for w/e 2-9-50							
								Total for w/e 26-8-50							
								7-yearly mean for the week							

Explanation of symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th September, 1950—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Punjab (I)								Uttar Pradesh—contd															
Hissar				
Rohtak				
Gurgaon				
Karnal				
Ambala				
Simla				
Kangra				
Hoshiarpur				
Jullundur				
Ludhiana				
Ferozepore				
Amritsar				
Gurdaspur				
TOTAL								TOTAL								TOTAL							
(Estd. mid-year pop. 14,690 thousands)								(Estd. mid-year pop. 59,132 thousands)															
Total for w/e 2-9-50								Total for w/e 2-9-50								Total for w/e 2-9-50							
Total for w/e 26-8-50								Total for w/e 26-8-50								Total for w/e 26-8-50							
7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week							
Uttar Pradesh								West Bengal															
Dehra Dun				
Saharanpur				
Muzaffarnagar				
Meerut				
Bulandshahr				
Aligarh				
Mathura	.	.	.	9	2				
Agra				
Mainpuri	.	.	.	1	1				
Etah	.	.	.	1				
Bareilly	.	.	.	4	4	1	1				
Bijnor	.	.	.	2	1				
Budhgaon				
Moradabad				
Shahjahanpur	.	.	.	2	3				
Pilibhit				
Farrukhabad	.	.	.	3	1				
Etawah				
Kanpur				
Fatehpur	5	.	1				
Allahabad	1	1				
Jhansi	.	.	.	1	1				
Jalaun				
Hamirpur				
Banda	2	.	10	3				
Banaras				
Mirzapur	2				
Jaunpur	5				
Ghazipur				
Ballia				
Gorakhpur	.	.	.	16	8				
Deoria	.	.	.	11	7	.	.	8				
Basti	1	.	13	11				
Azamgarh				
Nainital				
Almora				
Garhwal				
Lucknow				
TOTAL								TOTAL								TOTAL							
(Estd. mid-year pop. 14,690 thousands)								(Estd. mid-year pop. 59,132 thousands)															
Total for w/e 2-9-50								Total for w/e 2-9-50								Total for w/e 2-9-50							
Total for w/e 26-8-50								Total for w/e 26-8-50								Total for w/e 26-8-50							
7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week							
Uttar Pradesh								West Bengal															
Burdwan	7	2	11	3				
Birbhum	2	2	3				
Bankura	15	10	1				
Midnapur	34	11	23	11				
Hooghly	3	1	14	4				
Howrah	4	1	5	2				
24-Parganas	4	2	20	7				
Calcutta	49	8	32	30				
Nadia	3	4	14	3				
Murshidabad	1				
Malda	4	2	6	3				
West Dinajpur	1				
Jalpaiguri	2				
Darjeeling	5				
Cooch Behar	7	4	2				
Chandernagore	1				
TOTAL								TOTAL								TOTAL							
(Estd. mid-year pop. 22,669 thousands)								(Estd. mid-year pop. 22,669 thousands)															
Total for w/e 2-9-50								Total for w/e 2-9-50								Total for w/e 2-9-50							
Total for w/e 26-8-50								Total for w/e 26-8-50								Total for w/e 26-8-50							
7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week							
Grand total for States Parts (A) & (C)								Grand total for States Parts (A) & (C)								Grand total for States Parts (A) & (C)							
(Estd. mid-year pop. 250,175 thousands)								(Estd. mid-year pop. 250,175 thousands)															
Total for w/e 2-9-50								Total for w/e 2-9-50								Total for w/e 2-9-50							
Total for w/e 26-8-50								Total for w/e 26-8-50								Total for w/e 26-8-50							
7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week							

Explanation of symbols used: C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th September, 1950—*conold*.

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES—PART (B)																Rajasthan															
Hyderabad																Bikaner 3															
Nanded 6 3																Jaipur															
Parbhani 17 6																Jodhpur															
Gulbarga 6 5																Former Rajasthan 39 21															
Raichur 33 15																TOTAL 39 21 3															
Bidar 3 1																Saurashtra															
Warangal 24 14 9 2																Halar 31 13															
Karimnagar 20 8																Sorath 1															
Nizamabad 74 22																TOTAL 32 13															
Medak 1 . .																Travancore-Cochin															
Nalgonda 10 15 14 12																TOTAL 17 7															
Hyderabad 5 . .																Vindhya Pradesh															
TOTAL 190 78 23 14 9 1																TOTAL															
Jammu & Kashmir																Grand total for States Part (B).															
Return not received.																Grand total for States Parts (A), (B) & (C)															
Madhya Bharat																TYPHUE															
Dhar 27 9																During week ending 15-7-50 one case of typhus was reported from Baramulla Distt. in Jammu & Kashmir State.															
Mandsaur 3 3																ARREAR INFORMATION:															
Rajgarh 27 6																Jammu & Kashmir															
Sheopur 4 3																(w/e 15-7-50)															
Ujjain 2 2																TOTAL															
TOTAL 63 23																(w/e 22-7-50)															
Mysore																TOTAL															
Bangalore 3 2 1 1 1 . .																(w/e 29-7-50)															
Mandya 4																TOTAL															
Mysore] 4 1																(w/e 5-8-50)															
TOTAL 3 2 5 1 5 1																TOTAL															
Pepsu																TOTAL															
Kandaghat 2																TOTAL															
TOTAL 2																TOTAL															

Explanation of symbols used :—C.—Cases; D.—Deaths.

NEW DELHI 3 (INDIA);
The 3rd October, 1950

S. P. JAIN,
for Registrar General, India.

NATIONAL

SAVINGS

CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th September, 1950

Town	Mid-1950 Popn. Est. (000)	Deaths from :—												D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
STATES—(Parts A and C)															
Ajmer															
Ajmer	173	268	80.6*	4	3	9	...	49	14.7	21		
Beawar	45	52	60.1*	11	5	7	...	30	34.7	6		
TOTAL	218	320	76.3*	15	8	16	...	79	18.8	27		
* Subject to verification.															
Assam															
Return not received.															
Bhopal															
Bhopal	89	33	19.3	1	1	2	†	7	4.1	†		
Bihar															
Return not received.															
Bombay															
Ahmedabad	854	812	49.4	248	18	54	3	432	26.3	163		
Ahmednagar	66	62	48.8	4	5	...	24	18.9	1		
Amalner	45	33	38.3	3	...	1	...	4	4.6	1		
Bandra	100	61	31.7	6	8	1	32	16.6	9		
Baroda City	188	171	47.2	53	3	11	...	86	23.7	16		
Barshi	42	32	39.6	7	...	2	2	21	26.0	7		
Belgaum	77	46	31.0	7	2	3	...	35	23.6	6		
Bhusawal	44	26	30.7	1	7	8.2	...		
Bijapur	158	35	31.3	4	...	1	...	15	13.9	1		
Bombay	1,796	1,053	30.5	7	17	139	3	615	17.8	169		
Broach	76	52	85.5	5	2	1	...	15	10.2	3		
Cambay	38	37	50.6	19	...	1	...	23	31.4	8		
Dharwar	55	40	37.8	2	12	11.3	2		
Dhulia	166	56	44.1	5	1	...	2	14	11.1	3		
Gadag-Betgarl	66	20	15.7	4	...	2	...	19	14.6	3		
Godhra	48	72	78.0	4	...	1	...	6	6.5	..		
Hubli	107	44	20.3	1	3	1	11	1	34	16.5	7		
Jalgaon	62	36	30.1	7	...	2	2	17	14.2	7		
Kalyan	36	16	23.1	1	1	1	...	4	5.7	...		
Kolhapur	115	24	37.9	4	1	2	38	17.1	11		
Kurli	47	73	80.3	7	1	14	15.4	5		
Mahabaleshwar	41	30	38.0	2	2	1	...	6	7.6	2		
Miraj	38	16	21.8	4	3	15	20.5	1		
Nanded	58	66	59.4	10	...	1	1	16	14.4	4		
Nasik	59	68	51.1	3	1	5	...	30	24.4	4		
Navsari	46	40	45.2	5	1	7	7.9	3		
Pandharpur	37	53	74.4	4	2	3	...	19	26.7	5		
Parle Andhari	58	29	26.0	2	...	5	...	7	10.2	1		
Patan	43	50	60.4	9	4	18	21.7	4		
Poona	313	280	46.5	2	31	2	137	22.4	68		
Sangli	39	22	29.3	5	2	2	...	18	24.0	3		
Satara	40	13	16.9	2	8	10.4	1		
Sholapur	267	194	37.7	8	13	33	...	107	20.8	34		
Surat	239	170	36.9	20	4	18	...	64	13.9	20		
TOTAL	5,264	3,882	38.3	1	460	93	343	20	1,919	19.0	567		
Delhi Province															
Delhi City	685	648	49.2	72	17	23	1	166	12.6	58		
New Delhi	121	295	126.8	2	1	3	...	76	32.7	10		
TOTAL	806	943	60.8	74	18	26	1	242	15.5	68		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R. D.=Respiratory diseases ; M. D.=Maternal Deaths ; D. R.=Death rate ; I. D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th September, 1950—*contd.*

Town	Mid.-1950 Popn. Est. (000)	Deaths from:—											Total	D. R.*	I D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh															
Akola	76	43	29.2	5	3	18	12.2	6		
Amravati	76	90	61.5	10	4	11	3	51	34.8	10		
Bilaspur	43	22	26.5	2	1	5	6.0	1		
Burhanpur	63	83	68.4	20	3	1	...	38	31.2	...		
Chandigarh	43	27	44.9	10	12	2	...	24	29.1	14		
Damoh†															
Ellenahpur	34	35	53.3	5	9	9	2	...	42	64.2	8		
Hingnath	33	24	37.7	5	3	1	...	11	17.3	1		
Jabalpur	174	174	51.8	...	2	...	20	4	15	...	66	19.6	7		
Khandwa	42	41	50.6	8	1	19	23.5	...		
Nagpur	300	241	41.8	4	1	...	60	24	8	5	174	30.2	15		
Nagpur Civil Station	83	79	49.2	13	2	3	...	17	10.6	...		
Raipur†															
Sagar†															
Wardha	37	16	22.8	7	4	2	1	...	14	19.9	...		
Yeotmal	32	37	26.8	7	3	1	1	24	39.3	8		
TOTAL	1,036	912	45.8	16	3	...	173	71	44	9	503	25.2	70		
Madras															
Adoni	35	44	65.4	5	5	..	20	29.7	6		
Ambur	39	21	28.0	1	1	2	..	10	13.3	5		
Anakapalle	35	26	38.6	6	2	4	..	20	29.7	3		
Aruppukottai	36	36	52.0	..	3	..	6	6	1	..	22	31.8	5		
Bellary†															
Cannanore	35	19	28.2	3	..	2	..	15	22.3	2		
Chirala†															
Chittoor	33	29	45.7	..	5	..	5	1	3	1	27	42.5	4		
Coimbatore †															
Cuddappah	34	20	30.6	..	1	..	3	..	1	..	14	21.4	5		
Cuddalore	62	72	60.4	3	6	1	1	38	31.9	5		
Dindigul	68	41	31.4	3	4	5	..	33	25.2			
Eluru	72	49	35.4	..	2	..	4	2	3	2	36	26.0	4		
Erode	45	40	46.2	1	5	4	1	19	22.0	1		
Guddiyattam	40	38	49.4	3	5	..	15	19.5	2		
Guntur†															
Hakimnagar	84	49	30.3	2	4	2	1	35	21.7	7		
Kancheepuram	83	92	57.6	1	13	12	1	57	35.7	14		
Karalkudi	36	22	31.8	1	..	2	..	15	21.8	5		
Karur	35	28	41.6	1	2	..	18	26.7	2		
Kozhikode	152	112	38.3	13	2	14	1	98	33.5	17		
Kumbakonam	71	30	22.0	3	2	..	28	20.5	6		
Kurnool	55	74	70.0	1	3	5	..	15	14.2	5		
Madras	1,013	1,129	57.1	4	10	..	60	83	154	1	675	34.6	161		
Mangalore	94	29	16.0	13	2	14	..	64	35.4	15		
Masulipatnam	61	57	48.6	3	2	3	..	25	21.3	2		
Mathurai	292	196	44.9	83	8	..	9	14	41	3	187	33.3	35		
Mayuram	33	29	45.7	3	17	26.8	3		
Melapalayam	32	13	21.1	5	2	3	..	19	30.9			
Nagapattinam	57	40	36.5	1	1	..	4	..	23	21.0			
Nellore	66	94	74.1	..	1	..	3	3	5	..	39	30.7	8		
Ooty	35	28	41.6	1	7	..	16	23.8	10		
Palani Cottah	34	23	35.2	2	3	1	18	27.5	2		
Palghat	61	57	48.6	2	5	7	..	36	30.7	9		
Proddatur†															
Pudukottai	39	34	45.3	1	11	14.7	1		
Rajahmundry	85	61	37.3	2	7	3	1	54	33.0	9		
Rajapalayam	63	49	48.1	3	4	3	..	28	27.5	6		
Salem	155	143	48.0	11	..	17	..	70	23.5	18		
Srivilliputtur	37	37	52.0	3	..	3	..	24	33.7	4		
Tanjore	70	88	65.4	..	2	..	4	6	13	5	67	49.8	7		
Tellicherry	42	16	19.8	1	2	1	..	16	19.8	3		
Ternool	40	35	39.6	..	1	..	1	..	2	1	16	18.1	3		
Tiruchappalli	175	118	35.1	..	1	..	2	6	22	..	93	27.6	10		
Tirunelveli	64	43	34.9	1	1	3	..	20	16.3	7		
Tuticorin	47	32	35.4	1	4	5	..	20	22.1	1		
Tiruvannamalai	39	22	30.7	1	3	..	16	20.0	2		
Tuticorin	90	75	43.3	1	1	9	..	35	20.2	10		
Vaniyambadi	39	19	25.3	..	1	1	4	..	11	14.7	5		
Vellore	85	127	77.7	1	4	5	7	..	49	30.0	9		
Vijayawada	110	86	40.7	..	1	..	2	3	3	..	39	18.4	14		
Virudunagar	36	39	56.3	3	2	2	..	20	28.9	6		
Vizagapatnam	82	62	39.3	5	7	12	..	49	31.1	12		
Vizianagaram	58	42	37.7	3	8	2	..	33	29.6	6		
TOTAL	4,180	3,666	45.6	39	36	..	201	233	430	20	2,324	28.9	493		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used:—B.=Births; B.R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal Deaths; D.R.=Death rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th September, 1950—*contd.*

Town	Mid.-1950 Popn.-Est. (000)	Deaths from —											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Orissa															
Berhampur	49	50	53.2	...	1	...	3	3	18	19.2	1		
Cuttack	83	71	44.6	...	4	...	11	1	40	25.1	4		
Puri	44	29	34.4	...	1	...	10	2	3	...	28	33.2	5		
TOTAL	176	150	44.3	...	6	...	24	6	3	...	86	25.4	10		
Punjab (I)															
Amritsar	52	52	52.2	7	3	2	...	16	16.0	5		
Amritsar	508	185	19.0	17	8	19	...	129	13.2	34		
Batala	55	25	23.7	10	11	10.4	...		
Bhiwani	51	63	64.4	1	...	1	1	19	19.4	8		
Fazilka	37	20	28.2	1	2	3	4.2	3		
Ferozepore	48	39	42.3	3	1	1	...	8	8.7	4		
Hissar	32	26	42.3	9	1	1	...	13	21.2	6		
Hoshiarpur	43	25	30.3	2	1	1	...	6	7.3	2		
Jullundur	145	85	30.6	23	2	2	...	43	15.5	15		
Karnal	48	46	49.9	8	1	2	...	15	16.3	4		
Ludhiana	152	109	37.4	11	4	2	...	29	9.9	10		
Moga	37	26	36.6	4	...	1	...	10	14.1	4		
Panipat	42	37	46.0	16	4	21	26.1	8		
Rewari	35	33	49.2	6	2	9	13.4	2		
Rohatak	60	79	68.6	7	10	8.7	5		
TOTAL	1,345	850	32.9	132	29	32	1	342	13.2	110		
Uttar Pradesh															
Agra	355	418	61.3	3	12	56	...	147	21.6	43		
Allahabad	325	194	31.1	5	2	28	1	69	11.1	20		
Amroha	66	61	48.0	8	2	6	...	26	20.5	11		
Bahraich	46	27	30.5	2	...	3	...	12	13.5	5		
Bijnor	51	15	15.4	7	8	8.2	3		
Banaras	308	267	45.3	64	18	18	...	173	29.3	40		
Barilly	235	106	23.5	4	1	...	11	1	8	...	33	7.3	5		
Budaun	58	66	59.1	5	2	3	1	18	16.1	6		
Dehra Dun	104	58	29.2	5	3	4	...	25	12.6	5		
Etawah	58	83	73.5	10	5	2	...	43	38.1	22		
Faizabad-Ajodhya	58	46	41.1	5	...	1	...	15	13.4	4		
Farrukhabad-Fatehgarh	64	82	66.5	1	11	2	5	...	27	21.9	8		
Ferozabad	55	45	42.4	19	2	23	21.7	5		
Gorakhpur	38	32	47.8	8	...	1	...	10	14.9	...		
Gorakhpur	121	58	23.1	5	11	3	...	26	10.4	4		
Hapur	47	53	59.1	8	3	6	1	28	31.2	8		
Hardwar Union	71	41	30.0	...	1	...	9	4	3	...	29	21.2	7		
Hathras	57	62	57.2	14	14	4	...	43	39.7	18		
Jaunpur	52	30	30.3	3	...	2	...	11	11.1	1		
Jhansi	90	100	57.7	28	4	52	30.0	17		
Kanpur	702	480	35.7	114	39	33	5	319	24.5	111		
Khurja	41	36	45.3	3	1	4	...	12	15.1	4		
Koil Aligarh	143	54	19.7	10	7	4	...	31	11.3	10		
Lucknow	487	335	35.7	37	13	26	1	167	17.9	50		
Mathura	101	152	78.9	17	4	7	1	47	24.4	24		
Meerut	160	144	46.9	6	6	13	...	36	11.7	9		
Mirzapur-Vindhyachal	81	84	54.3	16	3	8	...	41	26.5	11		
Moradabad	186	160	44.9	3	9	13	2	55	15.4	15		
Muzaffarnagar	65	55	43.9	4	...	2	...	9	7.2	3		
Pilibhit	53	39	38.3	7	...	1	...	21	20.6	7		
Rampur	103	15	7.6	3	2	1	...	9	4.5	2		
Sahasganj	168	148	45.9	46	2	1	...	58	17.1	16		
Sambhal	63	50	41.1	7	3	3	...	19	15.6	5		
Shahjahanpur	132	56	22.1	12	2	22	8.7	9		
Sitapur	37	26	36.4	5	2	2	...	12	16.8	6		
TOTAL	4,780	3,677	40.0	5	2	...	520	176	271	14	1,683	18.3	514		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.—Dysentery & Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th September 1950—*contd.*

Town	Mid.-1950 Popn.-Est. (000)	B.	Deaths from:—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal															
Asansol †															
Bally	69	6	4.5	4	3	10	7.5	...		
Bankura	61	9	7.8	4	3.4	...		
Barangar	71	29	21.4	...	1	...	3	7	10	...	27	19.9	6		
Berhampur	55	19	18.1	5	4	1	...	16	15.2	1		
Bhatpara	147	37	13.1	...	2	...	22	6	2	...	48	17.0	...		
Budge-Budge	40	7	9.1	...	1	1	3	3.0	...		
Burdwan	85	12	7.4	3	2	9	5.5	...		
Calcutta	2,991	1,253	21.8	8	30	...	111	142	186	7	850	14.8	...		
Champdani	38	16	22.0	1	2	2.8	...		
Garden-Reach	113	19	8.8	7	2	2	...	19	8.3	...		
Hooghly-Chinsura	64	31	25.1	4	1	1	...	11	8.9	1		
Howrah	523	69	6.9	1	2	...	20	18	52	...	167	16.6	42		
Kamarhati	54	21	20.3	2	6	1	...	11	10.6	...		
Krishnagar	39	2	2.7		
Midnapur	54	9	8.8	6	4	2	2	...	20	19.5	...		
Nabadwip	42	24	30.1	2	2	...	8	3	19	23.9	1		
Naihati	53	11	10.9	2	1	1	...	7	6.9	...		
Serampur	71	26	19.9	9	4	3	...	26	19.9	7		
South Suburban†															
Titagarh	65	28	22.6	17	20	16.1	...		
Tollygunj	90	5	2.9	1	1	0.6	...		
TOTAL	4,725	1,633	18.0	17	38	...	222	203	261	7	1,270	14.0	53		

STATES (Part B)

Jammu and Kashmir

Return not received.

Madhya Bharat

Mysore State

Return not received.

Bangalore City	500	378	39.2	3	[1	...	20	32	43	2	276	28.6	...	
Kolar Gold Fields†														
Mysore City	191	123	33.4	4	4	43	7.5	...	
TOTAL	691	501	37.7	3	1	...	24	36	43	2	319	24.0	...	

PEPSU

Malerkotla	36	26	37.9	2	2	2.9	...	
Patiala	84	81	59.1	21	1	2	1	35	21.7	1	
TOTAL	120	107	46.4	23	1	2	1	37	16.0	...	

Rajasthan

Alwar†														
Bikaner	166	78	24.2	4	4	5	...	20	6.2	6	
Jaipur	201	63	16.2	33	10	11	...	104	26.9	45	
Jodhpur	157	40	13.2	6	4	3	...	23	7.6	1	
Udaipur	72	8	5.8	2	1.4	1	
TOTAL	590	189	16.7	43	18	19	...	149	13.1	53	

Saurashtra

Bhavnagar	128	95	38.6	37	6	2	...	62	25.2	[11	
Dhoraji	45	30	34.7	5	2	4	...	15	15.3	2	
Jamnagar†														
Jetpur	33	21	33.1	4	4	6.3	3	
Junagadh	75	39	27.1	18	27	18.7	11	
Morvi	54	18	17.3	3	2	1	...	6	5.8	2	
Porbandar	63	26	21.5	12	2	2	1	34	28.1	17	
Rajkot	73	69	49.2	18	11	1	...	90	65.0	...	
TOTAL	471	298	32.9	97	23	10	1	238	26.3	46	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th September, 1950—*contd.*

		Deaths from :—													
		Mid.-1950 Popn.-Est. (900)	B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	B.R.*	I. D.	
Travancore—Cochin															
Alleppey	.	68	30	22.9	1	1	...	13	9.9	1	
Ernakulam	.	56	34	31.6	4	1	2	1	41	38.1	3	
Kottayam	.	41	7	8.9	1	1	...	5	6.3	...	
Mattancheri	.	66	29	22.8	4	1	1	...	18	14.2	3	
Nagercoil	.	60	31	26.9	1	1	11	9.5	2	
Quilon	.	64	67	51.4	2	3	4	...	18	14.6	2	
Trichur	.	69	60	45.2	3	4	3	...	21	15.8	2	
Trivandrum	.	159	93	30.4	...	1	...	5	4	5	1	34	11.1	5	
TOTAL		583	251	31.3	...	1	...	19	16	17	2	161	14.4	20	

ARREAR RETURNS*For w/e the 2nd September 1950*

Madhya Pradesh			For w/e the 2nd September 1950												
Akola	.	.	76	92	62.5	14	8	...	1	46	31.3	11
Amravati	.	.	76	108	73.8	11	6	8	...	49	33.5	15
Bilaspur	.	.	43	35	42.2	10	4	22	26.5	5
Burhanpur	.	.	63	69	56.7	19	6	1	...	40	32.7	...
Chanda	.	.	43	37	44.9	9	8	17	20.6	..
Damoh†															
Ellichpur	.	.	34	31	47.2	21	8	3	1	...	45	68.5	3
Hinganghat	.	.	33	44	69.1	3	2	4	1	...	7	11.0	...
Jabalpur	.	.	174	143	42.5	...	1	...	13	7	5	5	56	16.7	8
Khandwa	.	.	42	44	54.3	11	2	24	29.0	...
Nagpur	.	.	300	231	40.1	63	17	10	3	155	26.9	9
Nagpur Civil Station	.	.	83	79	49.2	...	1	...	15	...	1	...	26	16.2	1
Raipur†															
Sagar†															
Wardha	.	.	37	22	31.3	3	...	1	...	5	7.1	1
Yeotmal	.	.	32	41	67.1	9	3	...	1	22	36.0	7
TOTAL			1,036	970	49.0	26	4	...	185	68	28	10	514	25.8	60

Bihar*For w/e the 26th August 1950*

Arrah	.	57	10	9.1	2	4	6	5.5	...
Bettiah	.	62	3	12.8	4	1	8	12.8	...
Bihar†	.													
Bhagalpur	.	102	3	1.5	1	2	14	7.1	...
Chapra	.	62	27	22.5	5	6	2	22	18.4	1
Darbhanga	.	77	22	14.8	...	1	...	5	4	...	1	21	14.2	...
Dinapur-Nizamat	.	36	7	10.1	3	5	7.2	...
Gaya	†	121												
Jamalpur	.	48	5	5.4	1	1	2	2.2	...
Jamshedpur	.	209	77	19.1	3	3	7	...	23	5.7	8
Muzaffarpur	.	64	14	11.3	9	1	18	14.5	...
Patna	.	161	21	5.7	8	4	2	...	29	7.9	...
Purulia	.	35	3	4.5	3	3	6	9.0	...
Ranchi	.	58	14	12.6	18	2	40	36.1	...
TOTAL		1,122	211	9.8	7	1	...	65	23	9	1	194	9.0	9

Madhya Pradesh For w/e

Raipur	.	5.8.50	80	17	11.0	3	1	1	...	7	4.5	...
"	.	12.8.50	"	24	15.5	7	10	6.5	...
"	.	19.8.50	"	27	17.5	3	1	10	6.5	...
Bilaspur	.	12.8.50	43	20	24.1	2	2	1	...	7	8.4	3
Wardha	.	9.8.50	37	25	35.6	5	3	13	18.5	2
Hinganghat	.	9.8.50	33	38	59.7	2	1	...	5	...	1	14	22.0	2
Jabalpur	.	26.8.50	175	120	35.7	11	4	7	3	44	13.1	...

Orissa

Berhanpur	.	2.8.50	49	43	5.7	...	1	...	8	3	2	...	23	24.5	4
-----------	---	--------	----	----	-----	-----	---	-----	---	---	---	-----	----	------	---

Jammu and Kashmir

Srinagar	.	5.8.50	240	129	27.9	6	...	13	...	40	8.6	7
"	.	12.8.50	"	116	25.5	9	2	12	...	53	11.4	9
Jammu	.	12.8.50	61	40	32.1	4	3	2	1	12	10.2	1
"	.	19.8.50	"	37	31.5	2	5	...	2	12	10.2	...

Rajasthan

Udaipur	.	10.8.50	72	7	5.1	7	5.1	1
---------	---	---------	----	---	-----	-----	-----	-----	-----	-----	-----	---	-----	---

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; P. P.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Mental Deaths ; D. P.—Death Rate ; I. D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th September 1950—*contd.*

Town	Mid-1950 Popn.-Est. (000)	Deaths from:—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P	F.	D.D.	R.D.	M.D.						
Madras																
For week the 2nd September 1950																
Adoni	35	28	41.6	1	4	..	12	17.8	2			
Ambur	39	48	64.0	5	1	9	12.0	..			
Anakapalle	35	17	25.3	1	4	2	1	16	23.8	6			
Aruppukotai	36	39	56.3	9	3	4	..	28	40.4	7			
Bellary †	35	28	41.6	5	1	5	..	32	47.5	6			
Cannanore			
Chirala †	33	47	74.1	..	3	..	1	..	4	..	17	26.8	4			
Chittoor			
Coimbatore †			
Cuddappah	34	41	62.7	..	1	..	2	2	1	1	11	16.8	4			
Cuddalore	62	42	35.2	3	4	3	1	30	25.2	10			
Dindigul	68	64	43.9	..	1	..	1	..	10	1	31	23.7	8			
Eluru	72	43	34.7	..	4	..	3	5	1	..	30	21.7	9			
Erode	45	55	63.6	1	2	3	1	20	23.1	3			
Guddiyattam	40	40	53.0	..	3	2	6	..	14	18.2	4			
Guntur	101	128	65.9	..	1	..	6	4	3	..	33	19.6	8			
Kakinada	84	37	22.9	2	4	4	1	32	19.8	5			
Kancheepuram	83	57	35.7	2	2	10	1	37	23.2	7			
Karaikudi	36	31	44.8	4	..	3	..	18	26.0	6			
Karur	36	15	22.3	2	1	12	17.8	1			
Kozhikode	152	142	48.6	..	1	..	13	6	14	..	115	39.3	20			
Kumbakonam	71	70	51.3	1	2	4	..	41	30.0	12			
Kurnool †			
Madras	1,013	1,134	58.2	3	15	..	58	77	160	..	667	34.2	161			
Mangalore	94	124	68.6	11	5	14	..	60	33.2	13			
Masulipatnam	61	60	51.1	..	1	..	4	4	2	..	30	25.6	10			
Mathurai	292	317	55.5	24	14	..	10	21	53	3	245	43.6	63			
Mayuram	33	44	69.3	4	..	13	20.5	3			
Melapalayam	32	18	29.3	3	2	2	..	13	21.1	2			
Nagapattinam	57	28	25.5	3	3	..	1	1	17	15.5	1			
Nellore	66	107	84.3	..	2	..	13	3	8	2	54	42.6	12			
Ooty	35	43	63.9	3	1	12	..	28	41.6	6			
Palam Cottah	34	46	70.4	1	1	..	11	16.8	6			
Palghat	61	65	55.4	..	1	..	7	8	3	..	60	51.1	10			
Proddatur	33	31	48.9	..	1	..	1	2	4	1	16	25.2	5			
Pudukottai	39	35	46.7	4	1	4	..	24	20.0	2			
Rajamundry	85	73	44.7	..	1	3	40	24.5	2			
Rajapalayam	53	48	47.1	..	1	..	1	4	3	..	20	19.6	4			
Salem	155	109	36.6	..	3	..	7	1	24	1	97	32.5	21			
Srivilliputtur	37	36	50.6	3	2	3	2	22	30.9	3			
Tanjore	70	111	82.5	..	6	..	1	2	12	2	55	40.9	7			
Tellicherry	42	36	44.6	1	2	..	21	26.0	3			
Tenali	46	47	53.1	1	2	3	..	17	29.2	3			
Tiruchirappalli	175	171	50.8	2	10	1	94	27.9	16			
Tirunelveli	64	49	39.8	1	1	11	2	35	28.4	10			
Tiruppur	47	43	47.6	1	1	2	..	20	22.1	12			
Tiruvannamalai	39	28	37.3	2	2	..	18	24.0	3			
Tuticorin	90	76	43.9	3	8	3	36	20.8	8			
Vaniyambadi	39	24	32.0	2	2	1	11	14.7	2			
Vellore	85	119	72.8	1	1	5	10	..	42	25.7	10			
Vijayavada	110	82	38.8	4	4	4	1	45	21.3	17			
Virudunagar	36	69	90.7	2	3	4	..	19	27.4	2			
Vizagapatnam	82	89	56.4	9	3	3	..	38	24.1	10			
Vizianagaram	58	51	45.7	5	4	1	..	33	39.6	6			
TOTAL	4,259	4,290	52.0	31	59	..	213	214	453	27	2,444	29.8	553			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total Deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 9th September, 1950, relate to 197 towns with an estimated population of 25,074 thousands. The total number of towns is 233 and their population is 28,411 thousands. Thus 85% of the total number of towns representing 88% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 17,512 and 9,359 representing birth and death rates of 36.3 and 19.4 per thousand of population respectively.

(A) *States (Parts A and C).*—The data here relate to 174 towns with an estimated population of 22,619 thousands. Information about Assam and Bihar could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 87% of the total number of towns representing 92% of the total population is covered. The numbers of births and deaths recorded in these towns were 16,066 and 8,455 representing birth and death rates of 36.9 and 19.4 per thousand of

population respectively. The table at the end gives the position by states.

Ellichpur in Madhya Pradesh was the only town which had a high death rate of 64.2 per thousand of population and this high death rate was mainly due to deaths from fevers and dysentery and diarrhoea.

(B) *States (Part B).*—The data here relate to 23 towns with an estimated population of 2,455 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 72% of the total number of towns representing 65% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,446 and 904 representing birth and death rates of 30.6 and 19.1 per thousand of population respectively.

Rajkot in Saurashtra was the only town which had a high death rate of 65.0 per thousand of population and this high death rate was mainly due to deaths from fevers and dysentery and diarrhoea.

States	Current w/e 9-9-50		Corresponding w/e last year		Corresponding mean during the previous 5 years' period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	76.3*	18.8	30.4	19.2	40.6	24.8
Bombay	33.3	19.0	35.9	25.2	34.7	24.1
Delhi	60.8	15.5	59.6	16.7	50.9	21.0
Madhya Pradesh	45.8	25.2	44.1	22.3	45.0	29.2
Madras	45.6	28.9	48.1	27.5	48.2	28.6
Orissa	44.3	25.4	38.8	24.4	38.0	28.4
Punjab (I)	32.9	13.2	35.2	19.5	30.8	18.8
Uttar Pradesh	40.0	18.3	42.9	25.0	47.9	29.6
West Bengal	18.0	14.0	15.6	13.6	12.9	14.0
India (only States A and C).	36.9	19.4	42.1	24.7	37.3	28.4

*Subject to confirmation.

NEW DELHI, 3 (INDIA);

The 3rd October, 1950

S. P. JAIN,
for Registrar General, India.

